Index to Volume 24, 1987

ABRAHAM S *see* MIRA M *et al.*

Acetoacetate concentrations, effect on serum creatinine measurement **317**

Acid precipitation for manganese determination in human whole blood, disadvantage **518**

Agarose gel electrophoresis, for improved measurement of monoclonal paraproteins in serum **73**

AIDS virus, heat treatment, obviating effects on measured calcium and phosphate concentrations: technical note **109**

AL-ALI AK *see* ALAYASH AI *et al.*

AL-HUSAYNI H *see* ALAYASH AI *et al.*

AL-QOURAIN A *see* ALAYSAH AI *et al.*

ALAYASH AI, DAFALLAH A, AL-HUSAYNI H, AL-ALI AK, AL-QOURAIN A, SABA MR and WILSON MT: Determination of glycosylated haemoglobin in normal, newborn and diabetic Saudi Arabs **279**

ALBERTI KGMM *see* PETRANYI G *et al.*

Albumin
- serum measurement, usefulness: review article **572**
- urinary, measurement by immunoturbidimetry: technical note **209**

ALI AK AL- *see* AL-ALI AK

Alkaline phosphatase
- activity, plasma, measurement, effect of haemolysis **513**
- and horseradish peroxidase-labelled antibodies compared in enzyme immunoassays **145**

ALLAIN P, MAURAS Y and GRANGERAY C: The disadvantage of acid precipitation for manganese determination in human whole blood **518**

ALLEN ARG *see* HALLWORTH MJ *et al.*

ALLEN MC *see* HAND CW *et al.*

ALLEN-NARKER RAC *see* BERG JD *et al.*

Allergen-specific IgE assays: laboratory service guidelines: review article **232**

Alpha-1-fetoprotein, evaluation and clinical application of two-site immunoradiometric assay using readily available reagents **411**

Aluminium in renal disease, current knowledge and future developments: review article **337**

Amylase/creatinine ratio, as diagnostic aid for pancreatitis: technical note **218**

Anorexia nervosa, biochemical abnormalities **29**

ANTONY F *see* ROWE DJF *et al.*

Anticonvulsant drug concentrations, rapid measurement, outpatient clinic, using HPLC with direct injection of plasma **488**

Apolipoprotein
- B measurement, by competitive ELISA **301**
- C-III in normal and hyperlipaemic serum samples, quantitation by enzyme-linked immunosorbent assay **66**

ARMBRUSTER FP *see* ZILLIKENS D *et al.*

Artefactual elevation of plasma calcium results, due to contamination of lithium heparin tubes: short report **525**

Atomic absorption spectroscopy in clinical analysis: review article **529**

Atrial natriuretic peptide, influence of various physiological and sampling conditions **500**

Autistic and non-autistic children, blood serotonin levels, methods compared **625**

Automated trichloroacetic acid precipitation method for urine total protein **140**

AYERS GJ, BURNETT D and WHITE A: Effect of temperature on blood gas quality control materials: technical note **215**

Bacterial contamination, QC specimens, as cause of artefactually poor performance, UK EQAS **182**

BADCOCK NE, SPENCE JG and STERN LM: Blood serotonin levels in adults, autistic and non-autistic children — with a comparison of different methodologies **625**

BAMFORTH FJ *see* JOHN R and BAMFORTH FJ

BARRON JL *see* KELLY PM *et al.*

BEASTALL GH, FERGUSON KM, O'REILLY DSJ, SETH J and SHERIDAN B: Assays for follicle stimulating hormone and luteinising hormone: guidelines for the provision of a clinical biochemistry service: review article **246**

BECKER PJ *see* SADAN O *et al.*

BECKETT GJ *see* GOW SM *et al.*

BENDING MR *see* KELLY PM *et al.*

BENNETT AP, GALLACHER G and LANDON J: The raising and characterisation of antibodies to salicylate **374**

BENRAAD HB *see* TAN ACITL *et al.*

BENRAAD TJ *see* TAN ACITL *et al.*

BERG JD and BUCKLEY BM: Rapid measurement of anti-convulsant drug concentrations in the outpatient clinic, using HPLC with direct injection of plasma **488**
- RUDDOCK S, ALLEN-NARKER RAC, BRADBY GVH, DAVIS M and BUCKLEY BM: Drugs as probes of organ function: evaluation of the hepatobiliary axis using oral rifampicin and novel high performance liquid chromatography: Ames award, winning lecture 1986

BEYZAVI K, HAMPTON S, KWASOWSKI P, FICKLING S, MARKS V and CLIFT R: Comparison of horseradish peroxidase and alkaline phosphatase-labelled antibodies in enzyme immunoassays **145**

BHATNAGAR D *see* WINOCOUR PH *et al.*

BHATNAGAR D and WINOCOUR PH: Do serum fructosamine levels accurately reflect levels of glycated albumin: correspondence reply **642**

BIEGLER B *see* DENNIS PM *et al.*

BIRD AG *see* FIFIELD R *et al.*

BLAIR SC, SCHIER GM, GAN IET and MOSES RG: Interference in the fructosamine assay on the Technicon RA 1000 analyser **635**

BLAKESLEY J, WOOD D, HOWSE C and SPENCER-PEET J: A simplified thin-layer chromatography system for the detection of commonly abused basic drugs **508**

Blood
- collection bottles for glycated haemoglobin measurement: correspondence **113**

gas quality control materials, temperature effect: technical note **215**
pigments in CSF, spectrophotometry **189**
BOOK REVIEWS:
ANDREWS AT: *Electrophoresis: theory, techniques and biochemical and clinical applications* 2nd edition 1986 **325**
ASTRUP P and SEVERINGHAUS JW: *The history of blood gases, acids and bases* 1986 **427**
BLATON V and VAN STEIRTEGHEM A editors: *Plasma isoenzymes: the current status. Advances in clinical enzymology,* Volume 3 1986 **325**
DARBRE A editor: *Practical protein chemistry:* a handbook 1986 **325**
DAWSON RMC, ELLIOTT DC, ELLIOTT WH and JONES KM: *Data for biochemical research* 3rd edition 1986 **428**
HUGHES IA: *Handbook of endocrine tests in children* 1986 **428**
INGRAM D and BLOCK RF: *Mathematical methods in medicine. Part II: Applications in clinical specialities* 1986 **645**
PITOT HC: *Fundamentals of oncology* 1986 **645**
RIGBY PW editor: *Genetic engineering 5* 1986 **325**
WATTS RWE and GIBBS DA: *Lysosomal storage diseases: biochemical and clinical aspects* 1986 **427**
WHITTAKER M: *Cholinesterase Monographs in Human Genetics, Vol. II* 1986 **645**
BRADBY GVH *see* BERG JD *et al.*
BRAIDE SA and DAVIES TJ: Factors that affect the induction of gamma glutamyltransferase in epileptic patients receiving anti-convulsant drugs **391**
Breast carcinoma, urinary excretion of six modified nucleosides **598**
BROMBACHER PJ *see* SALEMANS THB *et al.*
Bronchogenic carcinoma, erythrocyte fatty acid profiles in **604**
BROUGHTON PMG and HOLDER R: When is a variation seasonal?: correspondence **114**
BROWN IRF *see* MCBAIN AM and BROWN IRF
BROWN JM, STRATMANN G, COWLEY DM, MOTTRAM BM and CHALMERS AH: The variability and dietary dependence of urinary oxalate excretion in recurrent calcium stone formers **385**
BUCK RH, PATHER N, MOODLEY J, JOUBERT SM and NORMAN RJ: Bedside application of an ultrasensitive urine test for HCG in patients with suspected ectopic pregnancy **268**
BUCKLEY BM *see* BERG JD *et al.*
BERG JD and BUCKLEY BM FLANAGAN RJ *et al.*
BUDD M CASBURN- *see* CASBURN-BUDD M
Bulimia, biochemical abnormalities **29**
BURNETT D *see* AYERS GJ *et al.*
BUTLER J and CUNDY T: Serum thyrotrophin in patients with destructive pituitary lesions assessed by a sensitive immunoradiometric assay **620**

Calcium
cresolphthalein complexone reaction, relevance to clinical laboratory **345**
plasma, results, artefactual elevation, due to contamination of lithium heparin tubes: short report **525**
serum fractions, comparison during haemodialysis and peritoneal dialysis **585**
new colorimetric method using zinc-zincon indicator **591**
vitamin D and parathyroid hormone relationships, in pregnant Caucasian and Asian women and their neonates **22**
CALDWELL G *see* GOW SM *et al.*
CALVIN J *see* WHICHER JT *et al.*
Capillary gas liquid chromatography, determining erythrocyte fatty acids **293**
CARTER RH *see* FIFIELD R *et al.*
CASEBURN-BUDD M *see* FORREST RD *et al.*
Cellulose acetate membrane electrophoresis, improved resolution **77**
Cerebrospinal fluid, quantitative measurement of blood pigments, derivative spectrophotometry **189**
CHALMERS AH *see* BROWN JM *et al.*
CHAMBERS RE, WHICHER JT, PERRY DE, MILFORD-WARD A, WHITE PAE and FIFIELD R: Overestimation of immunoglobulins in the presence of rheumatoid factor by kinetic immunonephelometry and rapid immunoturbidimetry **520**
CHAPMAN RS *see* STEVENSON JD *et al.*
CHARD T: What is happening to placental function tests?: review article **425**
and SHEEHAN T: Proteinuria and urinary hCG excretion: short report **426**
CHEUNG CK, MAK YT and SWAMINATHAN R: Automated trichloroacetic acid precipitation method for urine total protein **140**
CK–MB measurement in myocardial infarction, predictive value: correspondence **115**
CLARK JDA *see* CLARK PMS *et al.*
WHEATLEY T *et al.*
CLARK PMS, CLARK JDA, HOLDER R, RAGGATT PR and WHEATLEY T: Pulsatile secretion of TSH in healthy subjects **470**
see also WHEATLEY T *et al.*
CLIFT R *see* BEYZAVI K *et al.*
CLOSE JR *see* WARBURTON R and CLOSE JR
Coated well immunoradiometric assay for serum thyrotrophin, laboratory and diagnostic performance **273**
Cobas Bio centrifugal analyser, adaptation of coenzyme stimulation assays for nutritional assessment of vitamins B1, B2 and B6 **41**
Coenzyme-stimulation assays for nutritional assessment of vitamins B1, B2 and B6, using Cobas Bio centrifugal analyser, adaptation **41**
COLLEY CM: Glycosylated serum proteins and glycosylated haemoglobin in normal pregnancy: correspondence **636**
COLLINS W and TAYLOR WH: Determination of iron in cardiac and liver tissues by plasma emission spectroscopy **483**
Colorimetric method for serum calcium measurement using zinc-zincon indicator **591**
Congenital adrenal hyperplasia, radioimmunoassay of blood-spot 17α-hydroxyprogesterone in management **58**

Connective tissue parameters, measurement, serum, liver fibrosis **283**
CORNS CM: A new colorimetric method for the measurement of serum calcium using a zinc-zincon indicator **591**
and LUDMAN CJ: Some observations on the nature of the calcium-cresolphthalein complexone reaction and its relevance to the clinical laboratory **345**
COWLEY DM *see* BROWN JM *et al.*
Creatinine
clearance, redundant clinical investigation: correspondence **115**
plasma, determination, kinetic Jaffé methods, investigations into negative interference by jaundiced plasma **85**
serum, effect of acetoacetate concentration compared in three techniques **317**
serum, effect of acetoacetate concentration compared in three techniques **317**
see also CK—MB
CRUICKSHANK AM and SHENKIN A: A comparison of the effect of acetoacetate concentration on the measurement of serum creatinine using Technicon SMAC II, Beckman Astra and enzymatic techniques **317**
CUNDY T *see* BUTLER J AND CUNDY T
Cyclosporin A, HPLC, improved extraction procedure whole blood and plasma **161**

DAFALLAH A *see* ALAYASH AI *et al.*
DANDONA P *see* OKONOFUA F *et al.*
DAVIDSON DF: Urinary free catecholamines—diagnostic application of an HPLC technique to the investigation of neural crest tumours **494**
DAVIES TJ *see* BRAIDE SA and DAVIES TJ
DAVIS M *see* BERG JD *et al.*
DAWLING S *see* FLANAGAN RJ *et al.*
DELVES HT: Atomic absorption spectroscopy in clinical analysis: review article **529**
DENNIS PM, BIEGLER B and PAPAS R: Improved measurement of monoclonal paraproteins in serum using agarose gel electrophoresis **73**
DER WALT LA VAN *see* VAN DER WALT LA
DHAR H *see* WINOCOUR PH *et al.*
Diabetes
insulin-dependent, accuracy of measurement of serum fructosamine in reflecting levels of glycated albumin **47**
Diabetes mellitus
glycosylated haemoglobin determination, Saudi Arabs **279**
retinol binding protein as small molecular weight marker of renal tubular function **477**
simple side-room test for screening **581**
thyroid hormone concentrations during insulin treatment **466**
value of HbA_1 and fructosamine in predicting **447**
DIEIJEN-VISSER MP VAN *see* VAN DIEIJEN-VISSER MP
Digoxin, serum
assays, investigation of use and abuse **408**
effects of renal impairment on new time-resolved fluoroimmunoassay: short report **205**
DODDS KE *see* NATTRASS M and DODDS KE
Drugs of abuse, simplified thin-layer chromatography for detection **508**
DYAS J *see* ROBINSON JA *et al.*

Ectopic pregnancy, HCG, ultrasensitive urine test, bedside **268**
EDWARDS OM *see* WHEATLEY T *et al.*
Enzyme
-immunoassay, improved, method suitable, screening to detect microalbuminuria: technical note **207**
-linked immunosorbent assays, comparison of horseradish peroxidase and alkaline phosphatase-labelled antibodies **145**
Epilepsy, factors affecting gamma glutamyltransferase induction, anti-convulsant therapy **391**
Erythrocyte fatty acid profiles
in bronchogenic carcinoma **604**
determination by capillary gas liquid chromatography **293**
Ethanolic bromothymol blue gives molar L/S ratios: technical note **213**
Ethylene glycol (ethane-1,2-diol) in biological specimens, measurement using derivatisation and gas–liquid chromatography with flame ionisation detection **80**
EVANS SE and MORGAN MEI. Plasma alkaline phosphatase activity and its relation to rickets in pre-term infants: correspondence **638**

FAHMY D RIAD- *see* RIAD-FAHMY D
Fatty acid profiles, crythrocyte *see* Erythrocyte
FAYE S *see* NADKARNI S *et al.*
FERGUSON KM *see* KEMP LR *et al.* BEASTALL GH *et al.*
FICKLING S *see* BEYZAVI K *et al.*
FIFIELD R, BIRD AG, CARTER RH, WARD AM and WHICHER JT: Total IgE and allergen-specific IgE assays: guidelines for the provision of a laboratory service: review article **232**
see also CHAMBERS RF *et al.*
FLANAGAN RJ, DAWLING S and BUCKLEY BM: Measurement of ethylene glycol (ethane-1,2-diol) in biological specimens using derivatisation and gas-liquid chromatography with flame ionisation detection **80**
FLANAGAN RJ, DAWLING S and BUCKLEY BM: Measurement of ethylene glycol in biological specimens: correspondence reply **640**
Follicle - stimulating hormone, and luteinising hormone assays: clinical biochemistry service guidelines: review article **246**
FONSECA V, DE SOUZA V, AGNEW J, MIKHAILIDIS DP, WAKELING A and DANDONA P: Biochemical abnormalities in anorexia nervosa and bulimia: correspondence **643**
FOOTE JW and HINKS LJ: Reduced leucocyte zinc and albumin-bound zinc in blood of haemodialysis patients **198**

FORREST RD, JACKSON CA, GOULD BJ, CASBURN-BUDD M, TAYLOR JE and YUDKIN JS: Short-term effect on a 75 g oral glucose load on glycohaemoglobin levels **53**
FRASER CG: Glucose tolerance tests—preparation of the patient. Attainment of pre-analytical goals is vital: correspondence reply **116**
and WOODFORD FP: Strategies to modify the test-requesting patterns of clinicians: review article **223**
Fructosamine, as alternative to oral glucose tolerance test **447**
Fructosamine assay
interference on Technicon RA 1000 analyser **635**
serum, accuracy of measurement in reflecting levels of glycated albumin in insulin-dependent diabetes **47**

GALLACHER G *see* BENNETT AP *et al.*
GALPIN IJ *see* STOTT A *et al.*
Gamma glutamyltransferase, factors affecting induction in epilepsy and anti-convulsant therapy **391**
GAN IET *see* BLAIR SC *et al.*
Gastrin, *in vitro* stability, in serum and whole blood: technical note **320**
GATT JA *see* LLOYD DR *et al.*
GAYK H SCHMIDT- *see* SCHMIDT-GAYK H
GELDEREN GC VAN *see* VAN GELDEREN CJ
GILES PD and PHILLIPS SD: Obviating the effects of heat treatment of serum to inactivate AIDS virus on measured calcium and phosphate concentrations: technical note **109**
GIMLETTE TMD *see* SQUIRE CR and GIMLETTE TMD
Glucose
load, 75 g oral, short-term effect on glycohaemoglobin levels **53**
tolerance test, oral, *see* Oral glucose tolerance test
Glycated
albumin, accuracy of measurement of serum fructosamine in reflecting levels in insulin dependent diabetes **47**
haemoglobin analyses, assessment of within- and between-laboratory performance in large UK region **453**
as alternative to oral glucose tolerance test **447**
blood collection bottles for measurement: correspondence **113**
normal, newborn and diabetic, Saudi Arabs **279**
short-term effect of 75 g oral glucose load **53**
Glycine: serine ratios in prenatal diagnosis of non-ketotic hyperglycinaemia: short report **203**
GOULD BJ *see* FORREST RD *et al.*
GOW SM, NICOL K, SETH J, CALDWELL G, TOFT AD and BECKETT GJ: Laboratory and diagnostic performance of a coated well immunoradiometric assay for serum thyrotophin **273**
GRANGERAY C *see* ALLAIN P *et al.*
GREEN A *see* MANN SW and GREEN A
GRESSNER AM: Measurement of connective tissue parameters in serum for diagnosis and follow-up of liver fibrosis **283**
GROSSET A, KNAPP ML and MAYNE PD: The effect of haemolysis on the measurement of plasma alkaline phosphatase activity **513**
Growth hormone deficiency: review article **429**
GUNN I: Growth hormone deficiency: review article **429**
GUNN IR: Predictive value of CK–MB measurement in myocardial infarction: correspondence **115**

HADID O *see* KNAPP ML and HADID O
Haemodialysis
and peritoneal dialysis, comparison of serum calcium fractions during **585**
zinc in blood samples **198**
Haemolysis, effect on measurement of plasma alkaline phosphatase activity **513**
HALL MA *see* SMYTHE PJ *et al.*
HALLWORTH MJ, WEST NJ and ALLEN ARG: Artefactual elevation of plasma calcium results due to contamination of lithium heparin tubes: short report **525**
HAMPTON S *see* BEYZAVI K *et al.*
HAND CW, MOORE RA, MCQUAY HJ, ALLEN MC and SEAR JW: Analysis of morphine and its major metabolites by differential radioimmunoassay **153**
HARDY MJ and RAGBEER SS: Effect of heat treatment for inactivation of HTLV III virus on serum immunoreactive prolactin: technical note **322**
HAY A *see* NADKARNI S *et al.*
HAY A: Screening for morphine/heroin abuse with the Toxi-Lab system: correspondence reply **642**
HbA_1 *see* Glycosylated haemoglobin
HEDUAN E *see* MOUNT JN *et al.*
Heparin interference, in measurement of plasma sodium on ion selective electrodes: correspondence **116**
HERD C *see* MOUNT JN *et al.*
HEYWORTH R *see* JARVIE DR *et al.*
High performance liquid chromatography
for Cyclosporin A in whole blood and plasma, improved extraction procedure **161**
determination of 4-hydroxy-3-methoxymandelic acid **172**
total and free indomethacin, serum **167**
novel direct injection technique in rifampicin function test **36**
HINDLE EJ *see* LLOYD DR *et al.*
HINKS LJ *see* FOOTE JW and HINKS LJ
HODGSON BW and WATTS GF: A simple side-room test to screen for 'microalbuminuria' in diabetes mellitus **581**
HOLDER R *see* BROUGHTON PMG and HOLDER R CLARK PMS *et al.*
Horseradish peroxidase and alkaline phosphatase-labelled antibodies compared in enzyme immunoassays **145**
HOULDER S *see* OKONOFUA F *et al.*
HOWSE C *see* BLAKESLEY J *et al.*
HTLV III, effect of heat inactivation on serum prolactin **322**
HUGHES IA *see* ROBINSON JA *et al.*
Human chorionic gonadotrophin
in suspected ectopic pregnancy, bedside ultrasensitive urine test **268**
urinary and proteinura: short report **426**

HUNAITI A: Radial diffusion as a simple and rapid method for screening superoxide dismutase activity **511**

HUSAYNI H AL- *see* AL-HUSAYNI H

4-hydroxy-3-methoxymandelic acid, determination, in urine, HPLC with electrochemical detection **172**

17α-Hydroxyprogesterone, blood-spot, radioimmunoassay in management of congenital adrenal hyperplasia **58**

Hypoglycaemia, soluble-phase proinsulin radioimmunoassay in diagnosis **352**

Hypoparathyroid conditions, diagnosed by sensitive homologous radioimmunoassay for human parathyroid hormone **608**

Hypothyroidism, congenital, screening: review article **1**

IDDEKINGE B VAN *see* VAN IDDEKINGE B

Immunoassay quality assessment programmes, imprecision, estimation **98**

Immunoglobulins
- overestimation in presence of rheumatoid factor by kinetic immunonephelometry and rapid immunoturbidimetry **520**
- total and allergin-specific IgE assays; laboratory service guidelines: review article **232**

Immunometric assay, enhanced chemiluminescent, for TSH **419**

Immunoradiometric assay
- coated well, for serum thyrotrophin, laboratory and diagnostic performance **273**
- two-site, evaluation and clinical application for alpha-1-foetoprotein using readily available reagents **411**

Immunoturbidimetry, measuring urinary albumin: technical note **209**

Indomethacin, total and free, serum, HPLC method **167**

Insulin radioreceptor assays, interpretation: review article **13**

Ion selective
- electrodes, heparin interference in measurement of plasma sodium: correspondence 116
- sodium, and potassium analyser, paediatric intensive care unit, 3-year experience **309**

Ionised calcium measurement, protein interference at the reference electrode liquid junction **400**

Iron in cardiac and liver tissues, determination by plasma emission spectroscopy **483**

JACKSON CA *see* FORREST RD *et al.*

JARVIE DR, HEYWORTH R and SIMPSON D: Plasma salicylate analysis: a comparison of colorimetric, HPLC and enzymatic techniques **364**

Jaundiced plasma in kinetic Jaffé methods for plasma creatinine determination, investigations into negative interference **85**

JEFFCOATE SL *see* KEMP LR *et al.*

JOHN R: Screening for congenital hypothyroidism: review article **1**

and BAMFORTH FJ: Serum free thyroxine and free triiodothyronine concentrations in healthy full-term, preterm and sick preterm neonates **461**

JOHN WG: Glycated haemoglobin analyses—assessment of within and between-laboratory performance in a large UK region **453**

JONES DP *see* PAYNE RB and JONES DP

JOUBERT SM *see* BUCK RH *et al.*

JUPP R *see* MOUNT JN *et al.*

KEARNEY E *see* MOUNT JN *et al.*

KELLY PM, BENDING MR and BARRON JL: Comparison of serum calcium fractions during haemodialysis and peritoneal dialysis **585**

KEMP LR, FERGUSON KM and JEFFCOATE SL: Bacterial contamination of QC specimens as a cause of artefactually poor performance in the UK EQAS **182**

KHAN M *see* STOTT A *et al.*

Kinetic Jaffé methods for plasma creatinine determination, investigations into negative interference by jaundiced plasma **85**

KLOPPENBORG PWC *see* TAN ACITL *et al.*

KNAPP ML and HADID O: Investigations into negative interference by jaundiced plasma in kinetic Jaffé methods for plasma creatinine determination **85** *see also* GROSSET A *et al.*

KOHN J *see* RICHES PG and KOHN J

KUYL JM *see* MCCULLOCH JC *et al.*

KUYL JM: Do serum fructosamine levels accurately reflect levels of glycated albumin? correspondence **642**

KWASOWSKI P *see* BEYZAVI K *et al.*

KYNE F *see* MAGUIRE S *et al.*

LANDON J *see* BENNETT AP *et al.*

LAWSON N *see* TAYLOR A *et al.*
TAYLOR AJ *et al.*

Laxative abuse, detection: technical note **107**

Leiomyoma, and normal myometrium, oestrogen and progesterone receptor concentrations in **263**

Lithium heparin tubes, contaminated, causing artefactual elevation of plasma calcium: short report **525**

Liver fibrosis, measurement, connective tissue parameter, serum **283**

LLOYD DR, HINDLE EJ, MARPLES J and GATT JA: Urinary albumin measurement by immunoturbidimetry: technical note **209**

LLOYD D and MARPLES J: Glycosylated serum proteins and glycosylated haemoglobin in normal pregnancy: correspondence **636**

LOGUE FC *see* STEVENSON *et al.*

L/S ratios, molar, use of ethanolic bromothymol blue: technical note **213**

LUDMAN CJ *see* CORNS CM and LUDMAN CJ

Luteinising hormone and follicle stimulating hormone assays: clinical biochemistry service guidelines: review article **246**

MCBAIN AM and BROWN IRF: An improved enzyme-immunoassay method suitable for screening to detect microalbuminuria: technical note **207**
MCCULLOUCH JC, WAISBERG R, KUYL JM and MENDELSOHN D: Ethanolic bromothymol blue gives molar L/S ratios: technical note **213**
MCQUAY HJ *see* HAND CW *et al.*
MAGUIRE S, KYNE F and UACONAILL D: An improved extraction procedure for an HLPC method for Cyclosporin A in whole blood and plasma **161**
MAK YT *see* CHEUNG CK *et al.*
MANCHE A *see* TAYLOR A *et al.*
Manganese determination in human whole blood, disadvantage of acid precipitation **518**
MANN SW and GREEN A: Interference from heparin . . . in the measurement of plasma sodium on ion selective electrodes: correspondence reply **117**
Introduction of an ion selective sodium and potassium analyser in a paediatric intensive care unit: our experience over a 3-year period **309**
MARKS V *see* BEYZAVI K *et al.*
MARPLES J *see* LLOYD DR *et al.*
MARSH A *see* MOUNT JN *et al.*
MARSHALL WJ and MITCHELL PEG: Total parental nutrition and the clinical chemistry laboratory: review article **327**
MATTHEWS DR *see* NAYLOR BA *et al.*
MAURAS Y *see* ALLAIN P *et al.*
MAYNE PD *see* GROSSET A *et al.*
MENDELSOHN D *see* MCCULLOCH JC *et al.*
MENON RK *see* OKONOFUA F *et al.*
Microalbuminuria
in diabetes mellitus, simple sideroom test for screening **581**
improved enzyme-immunoassay method, suitable screening, to detect: technical note **207**
MILFORD-WARD A *see* CHAMBERS RE *et al.*
MITCHELL PEG *see* MARSHALL WJ and MITCHELL PEG
MIRA M, STEWART PM, VIZZARD J and ABRAHAM S: Biochemical abnormalities in anorexia nervosa and bulimia **29**
correspondence reply **644**
Monoclonal antibodies
production and use for apolipoprotein B measure by competitive ELISA **301**
paraproteins in serum, improved measurement using agarose gel electrophoresis **73**
MOODLEY J *see* BUCK RH *et al.*
MOORE J: Blood collection bottles for glycated haemoglobin measurement: correspondence reply **114**
MOORE RA *see* HAND CW *et al.*
Morphine
analysis, and its major metabolites by differential radioimmunoassay **153**
/heroin abuse screening, use of Toxi-Lab TLC system: technical note **211**
MORTON J: The detection of laxative abuse: technical note **107**
MOSES RG *see* BLAIR SC *et al.*
MOTTRAM BM *see* BROWN JM *et al.*
MOUNT JN, HEDUAN E, HERD C, JUPP R, KEARNEY E and MARSH A: Adaptation of coenzyme stimulation assays for the nutritional assessment of vitamins B1, B2 and B6 using the Cobas Bio centrifugal analyser **41**
Myocardial infarction, CK–MB measurement, predictive value: correspondence **115**
Myometrium, normal, and leiomyoma, oestrogen and progesterone receptor concentrations in **263**

NADKARNI S, FAYE S and HAY A: Experience with the use of the Toxi-Lab TLC system in screening for morphine/heroin abuse: technical note **211**
Naproxen, interference by, in urinary 5-hydroxyindoleacetic acid assay, caused by metabolite desmethylnaproxen **177**
NARKER RAC ALLEN- *see* ALLEN-NARKER RAC
NATTRASS M and DODDS KE: Interpretation of insulin radioreceptor assays: review article **13**
NAYLOR BA, MATTHEWS DR and TURNER RC: A soluble-phase proinsulin radioimmunoassay and its use in diagnosis of hypoglycaemia **352**
Neonates, calcium, vitamin D and parathyroid hormone relationships, of Caucasian and Asian women **22**
Neural crest tumours, urinary free catecholamines, diagnostic application of HPLC technique to investigate **494**
NICOL K *see* GOW SM *et al.*
Non-ketotic hyperglycinaemia: amniotic fluid glycine and glycine: serine ratios, prenatal diagnosis: short report **203**
NORMAN M *see* WATERSON M *et al.*
NORMAN RJ *see* BUCK RH *et al.*
Nucleosides, urinary excretion in breast carcinoma
Nutrition, total parenteral, and clinical chemistry laboratory: review article **327**

O'BRIEN S *see* OKONOFUA F *et al.*
O'CONNELL M and DRURY MI: Glycosylated serum proteins and glycosylated haemoglobin in normal pregnancy: correspondence **636**
O'DONNELL JG, PATERSON NC, PLEDGER DR and STEWART MJ: Serum digoxin assays: investigation of use and abuse **408**
Oestrogen and progesterone receptor concentrations in leiomyoma, and normal myometrium **263**
OGILVY-STUART AL *see* SMYTHE PJ *et al.*
OKONOFUA F, MENON RK, HOULDER S, THOMAS M, ROBINSON D, O'BRIEN S and DANDONA P: Calcium, vitamin D and parathyroid hormone relationships in pregnant Caucasian and Asian women and their neonates **22**
Oral glucose tolerance test
assessment of quality of performance **440**
value of HbA_1 and fructosamine as alternative **447**
preparation of patient: correspondence **115**
O'REILLY DSJ *see* BEASTALL GH *et al.*
Osmolality measurements, clinical usefulness: review article **566**
Oxalate, variable urinary excretion in recurrent stone formers **385**

PALFREY SM: Determination of 4-hydroxy-3-methoxymandelic acid in urine using HPLC with electrochemical detection **172**

Pancreatitis, amylase/creatinine ratio, as diagnostic aid: technical note **218**
PANDOV H *see* TAYLOR A *et al.*
PANDOV HI *see* TAYLOR AJ *et al.*
PAPAS R *see* DENNIS PM *et al.*
Paracetamol estimation in serum, urine, and plasma: review article **552**
Paraproteinaemia, laboratory investigation: review article **119**
Parathyroid hormone
calcium and vitamin D relationships, in pregnant Caucasian and Asian women and their neonates **22**
sensitive homologous radio-immunoassay to diagnose hypoparathyroid conditions **608**
PARR JH: The effect of long-term metabolic control on free thyroid hormone levels in diabetics during insulin treatment **466**
PATERSON NC and STEWART MJ: Effects of renal impairment on a new time-resolved fluoroimmunoassay for serum digoxin: short report **205**
see also O'DONNEL JG *et al.*
PATHER N *see* BUCK RH *et al.*
PAYNE RB and JONES DP: Protein interferes with ionised calcium measurement at the reference electrode liquid junction **400**
PEET J SPENCER- *see* SPENCER-PEET J
PENNEY MD and WALTERS G: Are osmality measurements clinically useful?: review article **566**
Peritoneal dialysis and haemodialysis, comparison of serum calcium fractions during **585**
PERRY B *see* STEVENSON JD *et al.*
PERRY DE *see* CHAMBERS RE *et al.*
PETRANYI G, PULMAN G and ALBERTI KGMM: Blood collection bottles for glycated haemoglobin measurement: correspondence **113**
PETTIT BR *see* WALKER PL *et al.*
pH, storage, effect on precipitation of proteins in deep frozen urine samples: technical note **111**
PHILLIPS SD *see* GILES PD and PHILLIPS SD
Pituitary lesions, destructive, serum thyrotrophin assessed by sensitive immunoradiometric assay **62**
Placental function tests, clinical value and future: review article **435**
Plasma emission spectroscopy, determination of iron in cardiac and liver tissues **483**
PLEDGER DR *see* O'DONNELL JG *et al.*
POLAK A *see* ROWE DJF *et al.*
Pregnancy, calcium, vitamin D and parathyroid hormone relationships, Caucasian and Asian women **22**
Prenatal diagnosis, non-ketotic hyperglycinaemia: amniotic fluid glycine and glycine: serine ratios: short report **203**
Progesterone and oestrogen receptor concentrations in leiomyoma, and normal myometrium **263**
Prolactin, serum immunoreactive, effect of heat inactivation of HTLV III virus: technical note **322**
Protein
interference with ionised calcium measurement at the reference electrode liquid junction **400**
total, urine, automated trichloracetic acid precipitation method **140**
in deep frozen urine samples, effect of storage pH on precipitation: technical note **111**
Proteinuria and urinary hCG excretion: short report **426**
PULMAN G *see* PETRANYI G *et al.*
Pulsatile secretion of TSH, healthy subjects **470**
Purple urine bag syndrome **185**

QC specimens, bacterial contamination, UK EQAS **182**
QOURAIN A AL- *see* AL-QOURAIN A

Radial diffusion, as simple, rapid method for screening superoxide dismutase activity **511**
Radioimmunoassay
of blood-spot 17α-hydroxyprogesterone in management of congenital adrenal hyperplasia **58**
sensitive homologous, for human parathyroid hormone to diagnose hypoparathyroid conditions **608**
RAGBEER SS *see* HARDY MJ and RAGBEER SS
RAGGATT PR *see* CLARK PMS *et al.*
WHEATLEY T *et al.*
RAUE F *see* ZILLIKENS D *et al.*
Receptor, insulin *see* Insulin radioreceptor assays
REED P *see* WINOCOUR PH *et al.*
Renal
disease, aluminium, current knowledge and future developments: review article **337**
impairment, effects, on new time-resolved fluoroimmunoassay for serum digoxin: short report **205**
tubular function in diabetes mellitus, retinol binding protein as a small molecular weight marker **477**
Retinol binding protein, as small molecular weight marker of renal tubular function in diabetes mellitus **477**
Rheumatoid factors, overestimation of immunoglobulins in presence of kinetic immunonephelometry and rapid immunoturbidimetry **520**
RIAD-FAHMY D *see* ROBINSON JA *et al.*
RICHES P *see* WHICHER JT *et al.*
RICHES PG and KOHN J: Improved resolution of cellulose acetate membrane electrophoresis **77**
RIESEN WF and STURZENEGGER E: Quantitation of apoliprotein C-III in normal and in hyperlipaemic serum samples by enzyme-linked immunosorbent assay **66**
Rifampicin, oral, in cirrhosis and Gilbert's syndrome **36**
RIJN HJM VAN *see* VAN RIJN HJM
ROBERTS C *see* STOTT A *et al.*
ROBERTS I and SMITH IM: A high performance liquid chromatography method for the analysis of total and free indomethacin in serum **167**
ROBINSON D *see* OKONOFUA F *et al.*
ROBINSON JA, DYAS J, HUGHES IA and RIAD-FAHMY D: Radioimmunoassay of blood-spot 17 alpha hydroxprogesterone in the management of congenital adrenal hyperplasia **58**
ROBINSON M *see* SADAN O *et al.*
ROSMALEN FMA *see* TAN ACITL *et al.*
ROWE DJF, ANTHONY F, POLAK A, SHAW K, WARD CD and WATTS GF: Retinol binding protein as a small

molecular weight marker of renal tubular function in diabetes mellitus **477**
RUDDOCK S *see* BERG JD *et al.*

SABA MR *see* ALAYASH AI *et al.*
SADAN O, VAN IDDEKINGE B, VAN GELDEREN CJ, SAVAGE N, BECKER PJ, VAN DER WALT LA and ROBINSON M: Oestrogen and progesterone receptor concentrations in leiomyoma and normal myometrium **263**
SADLER WA and SMITH MH: Estimation of imprecision in immunoassay quality assessment programmes **98**
see also TOWNSEND JC *et al.*
SALEMANS THB, VAN DIEIJEN-VISSER MP and BROMBACHER PJ: The value of HbA_1 and fructosamine in predicting impaired glucose tolerance—an alternative to OGTT to detect diabetes mellitus or gestational diabetes **447**
Salicylate
estimation in serum, urine, and plasma: review article **552**
plasma, analysis, comparison of colorimetric, HPLC and enzymatic techniques **364**
raising and characterisation of antibodies to **374**
SAMUEL L *see* WATERSON M *et al.*
SANDLER M *see* WALKER PL *et al.*
SAVAGE N *see* SADAN O *et al.*
SCHIER GM *see* BLAIR SC *et al.*
SCHMIDT-GAYK H *see* ZILLIKENS D *et al.*
SEAR JW *see* HAND CW *et al.*
Sensitive immunoradiometric assay, serum thyrotrophin in destructive pituitary lesions **620**
Serotonin levels in autistic and non-autistic children, methods compared **625**
Serum
free thyroxine, and free triiodothyronine concentrations in healthy fullterm, preterm and sick preterm neonates **461**
protein zone electrophoresis, present-day value: review article **133**
SETH J *see* BEASTALL GH *et al.*
GOW SM *et al.*
SHANKS GM *see* TOWNSEND JC *et al.*
SHAW K *see* ROWE DJF *et al.*
SHEEHAN T *see* CHARD T and SHEEHAN T
SHENKIN A *see* CRUICKSHANK AM and SHENKIN A
SHERIDAN B *see* BEASTALL GH *et al.*
SIMPSON D *see* JARVIE DR *et al.*
SIMPSON E: Glucose tolerance tests—preparation of the patient: correspondence **115**
SLIM S, BARNES P and ALLEN L: Screening for morphine/heroin abuse with the Toxi-Lab system: correspondence **641**
SMITH IM *see* ROBERTS I and SMITH IM
SMITH MH *see* SADLER WA and SMITH MH
SMITH NB: Measurement of ethylene glycol in biological specimens: correspondence **639**
SMYTHE PJ, OGILVY-STUART AL, HALL MA and WALKER V: Prenatal diagnosis of non-ketotic hyperglycinaemia: amniotic fluid glycine and glycine: serine ratios: short report **203**
Soluble-phase proinsulin radioimmunoassay, in diagnosis of hypoglycaemia **352**
SPENCE C *see* WHICHER J and SPENCE C
SPENCE CE *see* WHICHER JT and SPENCE CE
SPENCE JG *see* BADCOCK NR *et al.*
SPENCER-PEET J *see* BLAKESLEY J *et al.*
SQUIRE CR and GIMLETTE TMD: Assessment of an enhanced chemiluminescent immunometric assay for TSH in 1127 patients **419**
STARKEY BJ: Aluminium in renal disease: current knowledge and future developments: review article **337**
STERN J *see* ZILLIKENS D *et al.*
STERN LM *see* BADCOCK NR *et al.*
STEVENSON JD, CHAPMAN RS, PERRY B and LOGUE FC: Evaluation and clinical application of a two-site immunoradiometric assay for alpha-1-foetoprotein using readily available reagents **411**
STEWART MJ and WATSON ID: Analytical reviews in clinical chemistry: methods for the estimation of salicylate and paracetamol in serum, plasma and urine: review article **552**
see also O'DONNELL JG *et al.*
PATERSON NC and STEWART MJ
STEWART PM *see* MIRA M *et al.*
Stone formers, recurrent, variable urinary oxalate excretion **385**
STOTT A, KHAN M, ROBERTS C and GALPIN IJ: Purple urine bag syndrome **185**
STRATMANN G *see* BROWN JM *et al.*
STROES JW and VAN RIJN HJM: Quantitative measurement of blood pigments in cerebrospinal fluid by derivative spectrophotometry **189**
STUART AL OGILVY- *see* OGILVY-STUART AL
STURZENEGGER E *see* RIESEN WF and STURZENEGGER E
Superoxide dismutase activity, radial diffusion as simple, rapid method for screening **511**
SWAANENBURG JCJM: Is the amylase/creatinine ratio useful as a diagnostic aid for pancreatitis?: technical note **218**
SWAMINATHAN R: Creatinine clearance: a redundant clinical investigation: correspondence **115**
Interference from heparin . . . in the measurement of plasma sodium on ion selective electrodes: correspondence **116**
see also CHEUNG CK *et al.*

TAN ACITL, ROSMALEN FMA, THEELEN BGA, KLOPPENBORG PWC, BENRAAD HB and BENRAAD TJ: Atrial matriuretic peptide—the influence of various physiological and sampling conditions **500**
TAVENIER P *see* VREKEN P and TAVENIER P
TAYLOR A, MANCHE A, WILSON I, WATSON D, PANDOV H and LAWSON N: Erythrocyte fatty acid profiles in patients with bronchogenic carcinoma **604**
TAYLOR AJ, PANDOV HI and LAWSON N: Determination of erythrocyte fatty acids by capillary gas liquid chromatography **293**
TAYLOR JE *see* FORREST RD *et al.*
TAYLOR WH *see* COLLINS W and TAYLOR WH
Technical notes:
The detection of laxative abuse **107**
Effect of heat treatment for inactivation of HTLV III virus on serum immunoreactive prolactin **322**

Improved enzyme-immunoassay method suitable for screening to detect microalbuminuria **207**
Effect of storage pH on the precipitation of proteins in deep frozen urine samples **111**
Effect of temperature on blood gas quality control materials **215**
Ethanolic bromothymol blue gives molar L/S ratios **213**
Experience with the use of the Toxi-Lab TLC system in screening for morphine/heroin abuse **211**
In vitro stability of gastrin in serum and whole blood **320**
Is the amylase/creatinine ratio useful as a diagnostic aid for pancreatitis **218**
Obviating the effects of heat treatment of serum to inactivate AIDS virus on measured calcium and phosphate concentrations **109**
Urinary albumin measurement by immunoturbidimetry **209**
Technicon RA 1000 analyser, interference on fructosamine assay **635**
Temperature, effect, on blood gas quality control materials: technical note **215**
Test-requesting patterns of clinicians, strategies to modify: review article **223**
THEELEN BGA *see* TAN ACITL *et al.*
Thin-layer chromatography system, simplified, for detection of commonly abused basic drugs **508**
THOMAS M *see* OKONOFUA F *et al.*
Thyroid
function, tests compared, during thyroxine replacement **614**
hormone concentrations in diabetics during insulin treatment **466**
in healthy fullterm, preterm and sick preterm neonates **461**
stimulating hormone, assessment of enhanced chemiluminescent immunometric assay **419**
pulstile secretion, healthy subjects **470**
measurement, by ultra-sensitive assay during thyroxine replacement comparison with other tests of thyroid function **614**
Thyroxine replacement, thyroid stimulating hormone measurement during replacement, comparison of tests **614**
TOFT AD *see* GOW SM *et al.*
Total parenteral nutrition, and clinical chemistry laboratory: review article **327**
TOWNSEND JC, SADLER WA and SHANKS GM: The effect of storage pH on the precipitation of proteins in deep frozen urine samples: technical note **111**
Toxi-Lab TLC system, in morphine/heroin abuse screening: technical note **211**
Trichloroacetic acid precipitation method, automated, for urine total protein **140**
TURNER RC *see* NAYLOR BA *et al.*

UACONAILL D *see* MAGUIRE S *et al.*
UK external quality assessment scheme, LH and FSH specimens, poor performance caused by bacterial contamination of specimens **182**
Urinary free catecholamines, diagnostic application of HPLC technique, investigation of neural crest tumours **494**
Urine samples, deep frozen, effect of storage pH on precipitation of proteins: technical note **111**

VAN DER WALT LA *see* SADAN O *et al.*
VAN DIEIJEN-VISSER MP *see* SALEMANS THB *et al.*
VAN DIEIJEN-VISSER MP and BROMBACHER PJ: Glycosylated serum proteins and glycosylated haemoglobin in normal pregnancy: correspondence reply **638**
VAN GELDEREN CJ *see* SADAN O *et al.*
VAN IDDEKINGE B *see* SADAN O *et al.*
VAN RIJN HJM *see* STROES JW and VAN RIJN HJM
Variations, seasonal, definition: correspondence **114**
VISSER MP VAN DIEIJEN- *see* VAN DIEIJEN-VISSER MP
Vitamins B1, B2 and B6, nutritional assessment, adaptation of coenzyme stimulation assays using Cobas Bio centrifugal analyser **41**
Vitamin D, calcium and parathyroid hormone relationships, in pregnant Caucasian and Asian women and their neonates **22**
VIZZARD J *see* MIRA M *et al.*
VREKEN P and TAVENIER P: Urinary excretion of six modified nucleosides by patients with breast carcinoma **598**

WAISBERG R *see* MCCULLOCH JC *et al.*
WALKER PL, PETTIT BR and SANDLER M: Interference by naproxen in the urinary 5-hydroxyindoleacetic acid assay is due to a metabolite, desmethylnaproxen **177**
WALKER V *see* SMYTHE PJ *et al.*
WALT LA VAN DER *see* VAN DER WALT LA
WALTERS EG, MURPHY JF, HENRY P, GREY OP and ELDER GH. Plasma alkaline phosphatase activity and its relation to rickets in pre-term infants: correspondence reply **638**
WALTERS G *see* PENNEY MD and WALTERS G
WARBURTON R and CLOSE JR: The *in vitro* stability of gastrin in serum and whole blood: technical note **320**
WARD A MILFORD- *see* MILFORD-WARD A
WARD AM *see* FIFIELD R *et al.*
WARD CD *see* ROWE DJF *et al.*
WARREN C *see* WHICHER JT *et al.*
WATERSON M, SAMUEL L and NORMAN M: The production and use of monoclonal antibodies to measure apolipoprotein B by a competitive enzyme-linked immunoassay **301**
WATSON D *see* TAYLOR A *et al.*
WATSON ID *see* STEWART MJ and WATSON ID
WATTS GF *see* HODGSON BW and WATTS GF
ROWE DJF *et al.*
WEST NJ *see* HALLWORTH MJ *et al.*
WHEATLEY T, CLARK PMS, CLARK JDA, RAGGATT PR and EDWARDS OM: Thyroid stimulating hormone measurement by an ultrasensitive assay during thyroxine replacement: comparison with other tests of thyroid function **614**
see also CLARK PMS *et al.*

WHICHER J and SPENCE C: When is serum albumin worth measuring?: review article **572**
WHICHER JT, CALVIN J, RICHES P and WARREN C: The laboratory investigation of paraproteinaemia: review article **119**
and SPENCE CE: Serum protein zone electrophoresis — an outmode test?: review article **133**
see also CHAMBERS RE *et al.*
FIFIELD R *et al.*
WHITE A *see* AYERS GJ *et al.*
WHITE PAE *see* CHAMBERS RE *et al.*
WIDDOWSON G: Determination of pH, PCO_2, PO_2, sodium and potassium in the same whole blood sample: correspondence **641**
WIENER K: The oral glucose tolerance test—an assessment of the quality of its performance **440**
WILSON I *see* TAYLOR A *et al.*
WILSON MT *see* ALAYASH AI *et al.*
WINOCOUR PH, BHATNAGAR D, REED P and DHAR H: Does the measurement of serum fructosamine accurately reflect levels of glycated albumin in insulin-dependent diabetes? **47**
WOOD D *see* BLAKESLEY J *et al.*
WOODFORD FP *see* FRASER CG and WOODFORD FP

YUDKIN JS *see* FORREST RD *et al.*

ZILLIKENS D, ARMBRUSTER FP, STERN J, SCHMIDT-GAYK H and RAUE F: Sensitive homologous radioimmunoassay for human parathyroid hormone to diagnose hypoparathyroid conditions **608**
Zinc
in blood of haemodialysis patients **198**
-zincon indicator, for serum calcium measurement **591**
Zone electrophoresis, serum protein, present-day value: review article **133**